

## SPH3U: Energy Consumption and Climate Change

Recorder: \_\_\_\_\_

Manager: \_\_\_\_\_


Speaker: \_\_\_\_\_

0 1 2 3 4 5

Climate change is one of the greatest challenges facing human beings over the next fifty years. The Earth's climate is changing due to humans adding greenhouse gases to the atmosphere that trap heat energy from the sun. Increasing temperatures will disrupt societies around the world as weather patterns shift and sea levels rise. Shifting water and land resources will result in large scale movements of people that create tremendous political challenges and increase the likelihood of conflict.

### A: Canada's Greenhouse Gas Emissions


Every year Canada contributes as much greenhouse gas emissions to the atmosphere as the entire continent of Africa. The graph below shows Canada's emissions by economic sector during a 24 year period. Take a moment to read over the graph.



(source: <https://www.ec.gc.ca/indicateurs-indicators/default.asp?lang=en&n=F60DB708-1>)

- Interpret.** This type of graph is a *stacked* graph. To read it, choose a trend line and measure downwards to the next trend line. That vertical distance gives the value for that year. For example, what are the emissions for the buildings sector in 1990 in units of kg? Show your work. (1 tonne = 1000 kg, 1 megatonne =  $10^6$  tonnes).
- Interpret.** Which sectors of Canada's economy are noticeably decreasing emissions and which are increasing? Which are roughly the same?
- Reason.** Which sector's emissions do you think York Mills students and their families make the greatest contribution to? Explain.

### Transportation sector greenhouse gas emissions, Canada, 1990 to 2014



(source: <https://www.ec.gc.ca/indicateurs-indicators/default.asp?lang=en&n=F60DB708-1>)

4. **Interpret.** The graph for the transportation sector shows the emissions breakdown by type of vehicle and purpose of use. Describe the trend in the data for passenger cars.
  
5. **Interpret.** Does this represent the full story? It might help to know that the category of “light trucks” includes minivans, pick-up trucks, and sports utility vehicles. With this in mind, how is Canada doing overall with emissions by passenger vehicles that people or families own?
  
6. **Calculate.** It is also helpful to know that the population in Canada in 1990 was 27.79 million and its population in 2014 was 35.54 million people. “Per capita” means per person. Has Canada’s per capita GHG emissions for passenger transportation improved over the 24 year timespan?
  
7. **Reason.** To help Canada meet its Paris Accord GHG emission targets, we want to focus on reducing passenger vehicle emissions. What characteristics of a car or light truck could be changed that would help to reduce that vehicle’s GHG emissions?

# SPH3U: The Green Vehicle Challenge

You are a part of a team of experts whose job is to create an improved, energy efficient vehicle that will help reduce greenhouse gas emissions. To do this, your team will work through a process where you design, build, and improve your vehicle, measure its performance, and assess its environmental impact. As professionals working in a demanding industry, you will document all your work carefully.

## Project Outline

The project consists of four phases. The design and test phases are completed three times as you improve your vehicle.

### Design Phase


- Document your design ideas. Build or modify your car.
- **First Time:** Build your car based on the given designs.
- **Second Time:** Study your test results to devise improvements.
- **Third Time:** Visit every other team in the class to look for interesting ideas. Devise very interesting or creative changes to try out for your final design.

### Test Phase

- Conduct two laboratory tests to measure the performance of your vehicle after each design phase. Report the results.
- **First Time:** Carefully devise and describe your procedure for each test
- **Second and Third Times:** If there are no changes to your test procedures, just reference the earlier procedure. Otherwise, describe any new steps or clarifications.

### Environmental Analysis

- Conduct laboratory tests to measure energy efficiency, vehicle performance, fuel costs, and greenhouse gas emissions



## Materials

Building Materials:

- Use the materials provided in class or other materials that can be found in the classroom.
- At the end, disassemble your car and neatly return any re-useable materials.

Materials to conduct tests:

- All equipment found in the classroom can be used to conduct your tests. This includes the computer motion sensor, spring scales, etc.

## Performance Tests

**Goal:** Pass the performance tests and improve the results as much as possible. As you repeat the design phase, improve your vehicle using your previous test results.

**Test 1:** You want to reach the maximum distance possible in one attempt. You need to reach at least 6 m.

**Test 2:** You want to minimize the total friction ( $F_{fr}$ ) responsible for slowing down the vehicle. The total friction needs to be less than 0.03N. Consider the following two elements:

- Internal friction, as a result to moving parts of the vehicle
- External friction, as a result of contact between the vehicle and the ground

Empty weight	Test 1: Maximum Distance	Test 2: Friction (detach the elastic)
Less than 250 g	At least 6 m in one attempt	Less than 0.03 N

## Team Work

**Group Roles:** Take turns performing each role.

- **Author:** Each page of the report should be written by only one person (the other group members will help and provide ideas). The report pages must be written in **pencil**. When finished, the writer will sign off on the page.
- **Checker:** Use the **rubrics** to check the page. Use a **different coloured pen** to checkmark the high-quality work and make any improvements or corrections that are necessary. Sign the page, **certifying** that it is high-quality, reliable work.
- **Evaluator:** Use the **rubrics** to provide a numerical evaluation of the quality of the work at the bottom of the page.

**Share the work**

- Each person should do roughly the same amount of work overall on the various pages of the report.
- Take turns completing the different parts of the report. One person should not author two design, test, or environmental pages.

**Advice for the Checker:** When you sign off on the work, you are saying, “if there is a serious problem with this work, I would accept the consequences for my team”. In the working world, the consequences can range from a stern “talking-to”, to being fired, or even being criminally prosecuted. Faulty or poor-quality work can affect people’s lives in ways that range from a minor inconvenience, to physical injury or death. The success of your future work career depends on the quality of each and every task you perform, especially the most recent one.

## Evaluation

The final report for your project will be evaluated based on two criteria:

Criteria	Inadequate: Poor	Adequate: OK	Excellent: Wow!
<b>Agreement</b> Teacher evaluations matches student evaluations	<b>0 – 5:</b> many student evaluations are very different from the teacher’s	<b>6 – 8:</b> many student evaluations are pretty close to the teacher’s	<b>9-10:</b> most student evaluations agree with the teacher’s
<b>Quality</b> Physics ideas and techniques are used properly and are communicated clearly. A professional product.	<b>0 – 5:</b> Messy, missing or confusing work. Physics ideas are poorly understood or applied.	<b>6 – 8:</b> Clear, well-organized work. Physics ideas are used and applied appropriately. Some minor mistakes in understanding or communication are present.	<b>9 – 10:</b> Work is very clear, easy to follow and understand. Physics ideas are used appropriately and thoughtfully. Any mistakes are very minor or superficial.

## Final Report

Below is a checklist of what needs to be included in your final report. As you put together your final report, check off the items as complete. Put each group member’s name at the top of a column, and check off the pages they **wrote**. There must be an even distribution of **written** work. Failure to do so will result in the team being questioned as to why.

(check off as completed)	Item	Group member’s names		
<input type="checkbox"/>	Title page			
<input type="checkbox"/>	1 copy of this checklist			
<input type="checkbox"/>	Design page 2			
<input type="checkbox"/>	Design page 3			
<input type="checkbox"/>	Test page 1			
<input type="checkbox"/>	Test page 2			
<input type="checkbox"/>	Test page 3			
<input type="checkbox"/>	Environmental analysis			
<input type="checkbox"/>	1 green vehicle evaluation page.			

This is a technical report. It should be submitted in a neat and professional manner, but does not need to be typed or fancy looking.

# Green Vehicle Project Evaluation Page

Names: \_\_\_\_\_

Criteria	Inadequate: Poor	Adequate: OK	Excellent: Wow!
<b>Agreement</b> Teacher evaluations matches student evaluations	<b>0 – 5:</b> many student evaluations are very different from the teacher's	<b>6, 7, 8:</b> many student evaluations are pretty close to the teacher's	<b>9-10:</b> most student evaluations agree with the teacher's
<b>Quality</b> Physics ideas and techniques are used properly and are communicated clearly. A professional product.	<b>0 – 5:</b> Messy, missing or confusing work. Physics ideas are poorly understood or applied.	<b>6, 7, 8:</b> Clear, well-organized work. Physics ideas are used and applied appropriately. Some minor mistakes in understanding or communication are present.	<b>9 – 10:</b> Work is very clear, easy to follow and understand. Physics ideas are used appropriately and thoughtfully. Any mistakes are very minor or superficial.

Total Mark: \_\_\_\_\_ / 20

## Design Page Rubric

The design pages should have enough detail that another team could take your car, follow your design page, easily build the car or make the appropriate changes, and understand why the changes are being made.

Criteria	Inadequate: Poor	Adequate: OK	Excellent: Wow!
<b>Goals</b> explaining the purpose	<b>0 – 2:</b> Missing or unclear, rushed, not helpful for another group	<b>3 – 4:</b> Goals reference the design criteria or previous test results	<b>5:</b> Goals are carefully explained and reference design criteria or previous test results, neatly written, very easy to read
<b>Diagrams</b> careful drawings	<b>0 – 5:</b> Messy, missing measurements and labels, unclear, very difficult for another group to use	<b>6, 7, 8:</b> Clear drawings, labels and measurements, minor details could be improved, OK for another group to follow	<b>9 – 10:</b> Neat, clear drawings. Multiple perspectives used. Labels and measurements are clear. Very easy for another group to use.
<b>Descriptions</b> construction details	<b>0 – 2:</b> Missing or unclear, rushed, not helpful for another group	<b>3 – 4:</b> Ideas/changes are described and choices justified, OK for another group to follow	<b>5:</b> Construction ideas and changes are carefully described. Design choices are justified. Very easy for another group to follow

## Test Page Rubric

Your test procedures should be clear and precise such that another group could take your vehicle, follow your procedures, and get **very similar results** within your measurement uncertainty.

	Inadequate: Poor	Adequate: OK	Excellent: Wow!
<b>Reliability</b> clear procedures and data	<b>0 – 2:</b> Results are unsure, faulty procedure, no uncertainties, too little data	<b>3 – 4:</b> Procedure adequate, minor details unclear	<b>5:</b> Thoughtful, clear procedure. Easy to reproduce measurements. Enough data to average-out random variations in measurements. Measurement uncertainties included.
<b>Clarity</b> data and calculations clear	<b>0 – 5:</b> Messy, poor organization, unreliable work, no physics diagrams used	<b>6, 7, 8:</b> Data recorded, calculation steps clear, results shown, work follows standards from class, attempts to use physics diagrams, minor errors or omissions with diagrams or calculations	<b>9 – 10:</b> Data carefully recorded, calculation steps easy to follow, all important details are present, physics diagrams are used accurately, easy to read

## Environmental Analysis Rubric

The purpose of the analysis is to determine the energy efficiency of your vehicle and provide a reliable projection for the GHG emissions due to the production of your vehicle and its operation over its lifetime.


	Inadequate: Poor	Adequate: OK	Excellent: Wow!
<b>Clarity</b> data and calculations clear	<b>0 – 5:</b> Messy, poor organization, unreliable work, no physics diagrams used	<b>6, 7, 8:</b> Data recorded, calculation steps clear, results shown, work follows standards from class, attempts to use physics diagrams, minor errors or omissions with diagrams or calculations	<b>9 – 10:</b> Data carefully recorded, calculation steps easy to follow, all important details are present, physics diagrams are used accurately, easy to read

Goals:



-To build a functional cart. This means it will start moving from rest once the elastic is wound up.

Materials List

- 6 x wooden dowels (around 10 to 15 cm long)
- 4 x wheels
- 2 x body panels
- 1 x thin elastic
- 1 x yellow hook



Diagrams



Descriptions:

This is the most basic design.

Minimal materials have been used and not all the provided materials have been used. Familiarize yourself with all the pieces that are available to use and discuss with you group what improvements can be made.

Test Page # \_\_\_\_\_

Date: \_\_\_\_\_

Weight: \_\_\_\_\_

**Test 1: Distance**

Procedure:

Data, Calculations, and Results:

Performance  
Criteria Met?

**Test 2: Friction**

Procedure:

Data, Calculations, and Results:

Performance  
Criteria Met?

Prepared by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Evaluated by: \_\_\_\_\_

Reliability: 1 2 3 4 5    Clarity: 1 2 3 4 5 6 7 8 9 10

Test Page # \_\_\_\_\_

Date: \_\_\_\_\_

Weight: \_\_\_\_\_

**Test 1: Distance**

Procedure:

Data, Calculations, and Results:

Performance  
Criteria Met?

**Test 2: Friction**

Procedure:

Data, Calculations, and Results:

Performance  
Criteria Met?

Prepared by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Evaluated by: \_\_\_\_\_

Reliability: 1 2 3 4 5    Clarity: 1 2 3 4 5 6 7 8 9 10



Design Page # \_\_\_\_\_

Date: \_\_\_\_\_

Goals:

Diagrams:

Descriptions:

Prepared by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Evaluated by: \_\_\_\_\_ Goals: 1 2 3 4 5 Diagrams: 1 2 3 4 5 6 7 8 9 10 Descriptions: 1 2 3 4 5

Design Page # \_\_\_\_\_

Date: \_\_\_\_\_

Goals:

Diagrams:

Descriptions:

Prepared by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Evaluated by: \_\_\_\_\_ Goals: 1 2 3 4 5 Diagrams: 1 2 3 4 5 6 7 8 9 10 Descriptions: 1 2 3 4 5

## Environmental Analysis Procedures

Energy input, output, and efficiency	<p>Follow the instructions (turn page over) to measure the amount of energy that is input (<math>E_1</math>) and output (<math>E_2</math>) from your vehicle's elastic when it is stretched to its test length, similar to how it is wound up in your vehicle during the design phase tests.</p> <ul style="list-style-type: none"> <li>• Calculate the energy output (<math>E_2</math>) from the elastic: <math>E_2 = E_1 - E_{th}</math>.</li> <li>• Calculate the efficiency: <math>Eff = E_2 / E_1</math>.</li> <li>• Use physics diagrams to show the energy transfer.</li> </ul>
Speed and distance performance ratings	<ul style="list-style-type: none"> <li>• Use the energy output to calculate a fastest possible speed for your vehicle (<math>v_{max}</math>). This assumes that all the energy output by the elastic is transferred to kinetic energy.</li> <li>• Use the most recent rolling friction measurement to calculate a farthest possible distance (<math>\Delta x_{max}</math>) your vehicle can travel.</li> <li>• Calculate a speed performance rating and distance performance rating using your measured values from the most recent test and your predicted values. (performance rating = actual value / predicted value)</li> </ul>
Lifetime fuel use and cost	<ul style="list-style-type: none"> <li>• Use the Lifetime Vehicle Use chart to calculate the fuel consumption (FC) for your vehicle using your efficiency result.</li> <li>• Calculate the total amount of gasoline your vehicle will use on average over its lifetime.</li> <li>• Calculate the lifetime cost of the fuel using 2017 dollars and gasoline prices.</li> </ul>
GHG emissions due to manufacture	<p>The physical construction of your real-life vehicle (made of steel, plastic, rubber, etc.) will release greenhouse gases (GHGs) into the atmosphere.</p> <ul style="list-style-type: none"> <li>• Calculate the total amount of GHGs released due to the construction of your vehicle. Show the breakdown of your calculation.</li> </ul>
Total GHG emissions	<ul style="list-style-type: none"> <li>• Calculate the lifetime GHG emissions of your vehicle due to fuel consumption.</li> <li>• Calculate the total lifetime GHG emissions of your vehicle (total lifetime GHG emission = construction GHG emissions + fuel consumption GHG emissions)</li> <li>• Report the final result in kilograms and metric tonnes (1 t = 1000 kg)</li> </ul>

### Lifetime Vehicle Use Analysis

Distance Traveled (km)	Fuel consumption/100 km	Fuel Cost/L (2017 prices)	GHG/km
244840	8.9 L* (0.7 / Eff)	\$1.17	95 g * (1.5 - Eff)

### Material and Production Analysis


The manufacture of your vehicle will require materials and energy, which contributes to greenhouse gas emissions.

Component	Actual Material	unit	Car - GHG emission per unit
Structural steel frame	Plastic plates	per plate	2000 kg
Structural steel struts	Wooden dowel	per cm of dowel	50 kg
Wheel	Plastic wheel	per wheel	30 kg
Tire	Rubber band	per rubber band	15 kg
Engine	Rubber band	per 0.1 g of rubber band	40 kg
Body panel	Paper	per cm <sup>2</sup>	10 kg

## Energy Measurement Instructions

The procedures for the environmental analysis are carefully regulated to ensure each design group performs the tests in the same way. Failure to follow the procedures can lead to invalid results that will affect the success of your vehicle and can even lead to lawsuits – just ask Volkswagen!

1. Remove your elastic from your vehicle and use the energy measurement equipment. If your vehicle uses multiple elastics, try to use the combination of elastics during the analysis the same way they are used in the vehicle. The equipment will measure the position of your hand and the force in the elastic. It uses these measurements to calculate energy.
2. Use the equipment to stretch the elastic from its relaxed length to its stretched length. Energy is being stored in the elastic.
3. Allow the elastic to slowly return to its relaxed length. Energy is transferred out of the elastic.
4. The computer creates a graph showing the energy changes. The lowest line represents the amount of energy used to stretch the elastic. When you slowly relax the elastic, a second higher line is created. The vertical difference between the lines gives the amount of thermal energy lost.



5. Use the data from the graph to determine the total energy input to stretch the elastic (the energy input,  $E_1$ ) and the total thermal energy after the elastic is completely relaxed (the energy loss,  $E_{th}$ ).

**Energy Input, Output, and Efficiency**

[Empty box for Energy Input, Output, and Efficiency]

**Speed and Distance Performance Ratings**

[Empty box for Speed and Distance Performance Ratings]

Prepared by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Evaluated by: \_\_\_\_\_

Clarity: 1 2 3 4 5 6 7 8 9 10

**Vehicle Lifetime Fuel Use and Costs**

--

**GHG Gas Emissions from Manufacturing**

Material	Quantity	kg GHG
Structural steel frame		
Structural steel struts		
Wheel		
Tire		
Engine		
Body panel		

Total GHG emission from manufacturing: \_\_\_\_\_

**Vehicle Lifetime GHG Emissions**

--

Prepared by: \_\_\_\_\_

Checked by: \_\_\_\_\_

Evaluated by: \_\_\_\_\_

Clarity: 1 2 3 4 5 6 7 8 9 10